Codes list

Calving Score

- I No difficulty, no assistance
- **2** Minor difficulty, some assistance
- **3** Major difficulty, mechanical assistance
- 4 Caesarean or surgery
- **5** Abnormal presentation
- 6 Stillbirth

Calf codes

- **0** Twin calf—raised on foster
- I Twin calf—raised on own dam as twin
- 2 Twin calf—raised on own dam as single
- 3 Calf sold prior to weaning
- 4 not weighed
- **5** Calf weighed under 160 days
- 6 Calf weighed over 250 days
- 7 Calf died at calving
- 8 calf died due to disease
- 9 calf died for other reason

Abbreviations used:

- P polled
- S scurred
- H horned
- D de-horned
- W white
- L light
- **SVC** service type
- PH# herd number
- LOC location

Disposal and breeding codes

Disposal Codes: (died)

- 201 Illness
- 202 Injury/accidental
- 203 Calving difficulty
- 204 Old Age
- 205 Disease

Disposal History

- 301 Sold as breeding animal—without papers
- 302 Calf performance
- 303 Low production value
- 304 Old age
- 305 Infertile
- 306 Cow calved but did not wean a calf
- 307 Calving difficulty
- 308 Aborted
- 309 Prolapsed
- 310 Reproductive disease
- 311 Poor body condition
- 312 Poor Udder/teats

- 313 Bad feet
- 314 Structurally unsound
- 315 Poor temperament
- 316 Injury
- 317 Illness
- 318 Genetic defect
- 319 Cancer eye etc
- 320 Leased
- 321 Missing or stolen
- 401 Aborted/premature
- 402 Stillborn/ full term
- 403 Died @ birth/defect
- 404 Died @ birth/other
- 405 Died before weaning/disease
- 406 Died before weaning/
- other
- 407 Died after weaning & before yearling/disease
- 408 Died after weaning & before yearling/other

409 Culled/physical defect

- 410 Culled/fertility
- 411 Culled/performance
- 412 Culled/temperament
- 413 Culled/other
- 415 Sold slaughtered
- 416 Sold Commercial
- 417 Unknown

Management Codes

Weaning weights should be taken when all calves in a contemporary group are between 140 and 270 days in age.

Yearling weights must be taken at no less than 270 and no more than 410 days in age.

At weaning:

- 1 Dam only— non creep fed
- 2 Dam plus creep feeding (6 weeks or longer)
- 3 Irregulars—no ratio
- 4 Embryo transfer

At yearling:

- 5 Full Feed
- 6 Intermediate feed
- 7 Pasture